

Modélisation de la dispersion atmosphérique des
toxiques en cas d'incendie d'une cellule de
stockage de pneumatiques

Incendie d'une cellule de stockage
Dispersion des suies
Condition A, vent 2 m/s

SITE DATA INFORMATION:

Location: BELLE-EGLISE, FRANCE
Building Air Exchanges Per Hour: 0.42 (unsheltered single storied)
Time: February 4, 2020 1215 hours ST (using computer's clock)

ATMOSPHERIC INFORMATION: (MANUAL INPUT OF DATA)

Wind: 2 meters/sec from SW at 3 meters
No Inversion Height
Stability Class: A (user override) **Air Temperature: 20° C**
Relative Humidity: 50% Ground Roughness: open country
Cloud Cover: 5 tenths

SOURCE STRENGTH INFORMATION:

Direct Source: 50.11 kilograms/sec **Source Height: 272 meters**
Release Duration: 60 minutes
Release Rate: 3,280 kilograms/min
Total Amount Released: 196,812 kilograms

FOOTPRINT INFORMATION:

Dispersion Module: Gaussian
Yellow LOC (79 mg/(cu m)) Max Threat Zone: **LOC is not exceeded**
Note: Footprint was not drawn because the ground level concentrations never exceed the LOC.

Incendie d'une cellule de stockage
Dispersion des suies
Condition D, vent 5 m/s

SITE DATA INFORMATION:

Location: BELLE-EGLISE, FRANCE
Building Air Exchanges Per Hour: 0.42 (unsheltered single storied)
Time: February 4, 2020 1217 hours ST (using computer's clock)

ATMOSPHERIC INFORMATION: (MANUAL INPUT OF DATA)

Wind: 5 meters/sec from SW at 3 meters
No Inversion Height
Stability Class: D **Air Temperature: 20° C**
Relative Humidity: 50% Ground Roughness: open country
Cloud Cover: 5 tenths

SOURCE STRENGTH INFORMATION:

Direct Source: 50.11 kilograms/sec **Source Height: 109 meters**
Release Duration: 60 minutes
Release Rate: 3,280 kilograms/min
Total Amount Released: 196,812 kilograms

FOOTPRINT INFORMATION:

Dispersion Module: Gaussian
Yellow LOC (79 mg/(cu m)) Max Threat Zone: **LOC is not exceeded**
Note: Footprint was not drawn because the ground level concentrations never exceed the LOC.

Incendie d'une cellule de stockage
Dispersion des suies
Condition F, vent 3 m/s

SITE DATA INFORMATION:

Location: BELLE-EGLISE, FRANCE
Building Air Exchanges Per Hour: 0.42 (unsheltered single storied)
Time: February 4, 2020 1219 hours ST (using computer's clock)

ATMOSPHERIC INFORMATION: (MANUAL INPUT OF DATA)

Wind: 3 meters/sec from SW at 3 meters
No Inversion Height
Stability Class: F (user override) Air Temperature: 15° C
Relative Humidity: 50% Ground Roughness: open country
Cloud Cover: 5 tenths

SOURCE STRENGTH INFORMATION:

Direct Source: 50.11 kilograms/sec Source Height: 181 meters
Release Duration: 60 minutes
Release Rate: 3,280 kilograms/min
Total Amount Released: 196,812 kilograms

FOOTPRINT INFORMATION:

Dispersion Module: Gaussian
Yellow LOC (79 mg/(cu m)) Max Threat Zone: **LOC is not exceeded**
Note: Footprint was not drawn because the ground level concentrations never exceed the LOC.

Incendie d'une cellule de stockage
Dispersion du Monoxyde de carbone
Condition A, vent 2 m/s

SITE DATA INFORMATION:

Location: BELLE-EGLISE, FRANCE
Building Air Exchanges Per Hour: 0.42 (unsheltered single storied)
Time: February 4, 2020 1225 hours ST (using computer's clock)

CHEMICAL INFORMATION:

Chemical Name: CARBON MONOXIDE Molecular Weight: 28.01 g/mol
ERPG-3: 500 ppm ERPG-2: 350 ppm ERPG-1: 200 ppm
IDLH: 1200 ppm
Normal Boiling Point: -191.5° C Ambient Boiling Point: -191.7° C
Vapor Pressure at Ambient Temperature: greater than 1 atm
Ambient Saturation Concentration: 1,000,000 ppm or 100.0%

ATMOSPHERIC INFORMATION: (MANUAL INPUT OF DATA)

Wind: 2 meters/sec from SW at 3 meters
No Inversion Height
Stability Class: A (user override) Air Temperature: 20° C
Relative Humidity: 50% Ground Roughness: open country
Cloud Cover: 5 tenths

SOURCE STRENGTH INFORMATION:

Direct Source: 24.31 kilograms/sec Source Height: 272 meters
Release Duration: 60 minutes
Release Rate: 1,590 kilograms/min
Total Amount Released: 95,472 kilograms
Note: This chemical may flash boil and/or result in two phase flow.
Use both dispersion modules to investigate its potential behavior.

FOOTPRINT INFORMATION:

Dispersion Module: Gaussian
Red LOC (3680 mg/(cu m)) Max Threat Zone: **LOC is not exceeded**
Note: Footprint was not drawn because the ground level concentrations never exceed the LOC.
Orange LOC (920 mg/(cu m)) Max Threat Zone: **LOC is not exceeded**
Note: Footprint was not drawn because the ground level concentrations never exceed the LOC.

Incendie d'une cellule de stockage
Dispersion du Monoxyde de carbone
Condition D, vent 5 m/s

SITE DATA INFORMATION:

Location: BELLE- EGLISE, FRANCE
Building Air Exchanges Per Hour: 0.42 (unsheltered single storied)
Time: February 4, 2020 1226 hours ST (using computer's clock)

CHEMICAL INFORMATION:

Chemical Name: CARBON MONOXIDE Molecular Weight: 28.01 g/mol
ERPG-3: 500 ppm ERPG-2: 350 ppm ERPG-1: 200 ppm
IDLH: 1200 ppm
Normal Boiling Point: -191.5° C Ambient Boiling Point: -191.7° C
Vapor Pressure at Ambient Temperature: greater than 1 atm
Ambient Saturation Concentration: 1,000,000 ppm or 100.0%

ATMOSPHERIC INFORMATION: (MANUAL INPUT OF DATA)

Wind: 5 meters/sec from SW at 3 meters
No Inversion Height
Stability Class: D **Air Temperature: 20° C**
Relative Humidity: 50% Ground Roughness: open country
Cloud Cover: 5 tenths

SOURCE STRENGTH INFORMATION:

Direct Source: 24.31 kilograms/sec Source Height: 109 meters
Release Duration: 60 minutes
Release Rate: 1,590 kilograms/min
Total Amount Released: 95,472 kilograms
Note: This chemical may flash boil and/or result in two phase flow.
Use both dispersion modules to investigate its potential behavior.

FOOTPRINT INFORMATION:

Dispersion Module: Gaussian
Red LOC (3680 mg/(cu m)) Max Threat Zone: **LOC is not exceeded**
Note: Footprint was not drawn because the ground level concentrations never exceed the LOC.
Orange LOC (920 mg/(cu m)) Max Threat Zone: **LOC is not exceeded**
Note: Footprint was not drawn because the ground level concentrations never exceed the LOC.

Incendie d'une cellule de stockage
Dispersion du Monoxyde de carbone
Condition F, vent 3 m/s

SITE DATA INFORMATION:

Location: BELLE-EGLISE, FRANCE
Building Air Exchanges Per Hour: 0.42 (unsheltered single storied)
Time: February 4, 2020 1228 hours ST (using computer's clock)

CHEMICAL INFORMATION:

Chemical Name: CARBON MONOXIDE Molecular Weight: 28.01 g/mol
ERPG-3: 500 ppm ERPG-2: 350 ppm ERPG-1: 200 ppm
IDLH: 1200 ppm
Normal Boiling Point: -191.5° C Ambient Boiling Point: -191.7° C
Vapor Pressure at Ambient Temperature: greater than 1 atm
Ambient Saturation Concentration: 1,000,000 ppm or 100.0%

ATMOSPHERIC INFORMATION: (MANUAL INPUT OF DATA)

Wind: 3 meters/sec from SW at 3 meters
No Inversion Height
Stability Class: F (user override) Air Temperature: 15° C
Relative Humidity: 50% Ground Roughness: open country
Cloud Cover: 5 tenths

SOURCE STRENGTH INFORMATION:

Direct Source: 24.31 kilograms/sec Source Height: 181 meters
Release Duration: 60 minutes
Release Rate: 1,590 kilograms/min
Total Amount Released: 95,472 kilograms
Note: This chemical may flash boil and/or result in two phase flow.
 Use both dispersion modules to investigate its potential behavior.

FOOTPRINT INFORMATION:

Dispersion Module: Gaussian
Red LOC (3680 mg/(cu m)) Max Threat Zone: **LOC is not exceeded**
Note: Footprint was not drawn because the ground level concentrations never exceed the LOC.
Orange LOC (920 mg/(cu m)) Max Threat Zone: **LOC is not exceeded**
Note: Footprint was not drawn because the ground level concentrations never exceed the LOC.

Incendie d'une cellule de stockage
Dispersion du Dioxyde de carbone
Condition A, vent 2 m/s

SITE DATA INFORMATION:

Location: BELLE- EGLISE, FRANCE
Building Air Exchanges Per Hour: 0.42 (unsheltered single storied)
Time: February 4, 2020 1230 hours ST (using computer's clock)

CHEMICAL INFORMATION:

Chemical Name: CARBON DIOXIDE Molecular Weight: 44.01 g/mol
TEEL-3: 40000 ppm TEEL-2: 30000 ppm TEEL-1: 30000 ppm
IDLH: 40000 ppm
Normal Boiling Point: -unavail-
Vapor Pressure at Ambient Temperature: greater than 1 atm
Ambient Saturation Concentration: 1,000,000 ppm or 100.0%
Note: Not enough chemical data to use Heavy Gas option

ATMOSPHERIC INFORMATION: (MANUAL INPUT OF DATA)

Wind: 2 meters/sec from SW at 3 meters
No Inversion Height
Stability Class: A (user override) **Air Temperature: 20° C**
Relative Humidity: 50% Ground Roughness: open country
Cloud Cover: 5 tenths

SOURCE STRENGTH INFORMATION:

Direct Source: 648 kilograms/sec **Source Height: 272 meters**
Release Duration: 60 minutes
Release Rate: 42,400 kilograms/min
Total Amount Released: 2,545,200 kilograms

FOOTPRINT INFORMATION: (GAUSS SELECTED)

Dispersion Module: Gaussian
Red LOC (89980 mg/(cu m)) Max Threat Zone: **LOC is not exceeded**
Note: Footprint was not drawn because the ground level concentrations never exceed the LOC.

Incendie d'une cellule de stockage
Dispersion du Dioxyde de carbone
Condition D, vent 5 m/s

SITE DATA INFORMATION:

Location: BELLE-EGLISE, FRANCE
Building Air Exchanges Per Hour: 0.42 (unsheltered single storied)
Time: February 4, 2020 1231 hours ST (using computer's clock)

CHEMICAL INFORMATION:

Chemical Name: CARBON DIOXIDE Molecular Weight: 44.01 g/mol
TEEL-3: 40000 ppm TEEL-2: 30000 ppm TEEL-1: 30000 ppm
IDLH: 40000 ppm
Normal Boiling Point: -unavail-
Vapor Pressure at Ambient Temperature: greater than 1 atm
Ambient Saturation Concentration: 1,000,000 ppm or 100.0%
Note: Not enough chemical data to use Heavy Gas option

ATMOSPHERIC INFORMATION: (MANUAL INPUT OF DATA)

Wind: 5 meters/sec from SW at 3 meters
No Inversion Height
Stability Class: D **Air Temperature: 20° C**
Relative Humidity: 50% Ground Roughness: open country
Cloud Cover: 5 tenths

SOURCE STRENGTH INFORMATION:

Direct Source: 648 kilograms/sec **Source Height: 109 meters**
Release Duration: 60 minutes
Release Rate: 42,400 kilograms/min
Total Amount Released: 2,545,200 kilograms

FOOTPRINT INFORMATION: (GAUSS SELECTED)

Dispersion Module: Gaussian
Red LOC (89980 mg/(cu m)) Max Threat Zone: **LOC is not exceeded**
Note: Footprint was not drawn because the ground level concentrations never exceed the LOC.

Incendie d'une cellule de stockage
Dispersion du Dioxyde de carbone
Condition F, vent 3 m/s

SITE DATA INFORMATION:

Location: BELLE-EGLISE, FRANCE
Building Air Exchanges Per Hour: 0.42 (unsheltered single storied)
Time: February 4, 2020 1233 hours ST (using computer's clock)

CHEMICAL INFORMATION:

Chemical Name: CARBON DIOXIDE Molecular Weight: 44.01 g/mol
TEEL-3: 40000 ppm TEEL-2: 30000 ppm TEEL-1: 30000 ppm
IDLH: 40000 ppm
Normal Boiling Point: -unavail-
Vapor Pressure at Ambient Temperature: greater than 1 atm
Ambient Saturation Concentration: 1,000,000 ppm or 100.0%
Note: Not enough chemical data to use Heavy Gas option

ATMOSPHERIC INFORMATION: (MANUAL INPUT OF DATA)

Wind: 3 meters/sec from SW at 3 meters
No Inversion Height
Stability Class: F (user override) Air Temperature: 15° C
Relative Humidity: 50% Ground Roughness: open country
Cloud Cover: 5 tenths

SOURCE STRENGTH INFORMATION:

Direct Source: 648 kilograms/sec Source Height: 181 meters
Release Duration: 60 minutes
Release Rate: 42,400 kilograms/min
Total Amount Released: 2,545,200 kilograms

FOOTPRINT INFORMATION: (GAUSS SELECTED)

Dispersion Module: Gaussian
Red LOC (89980 mg/(cu m)) Max Threat Zone: **LOC is not exceeded**
Note: Footprint was not drawn because the ground level concentrations never exceed the LOC.

Incendie d'une cellule de stockage de pneumatiques
Dispersion du SO₂
Condition A, vent 2 m/s

SITE DATA INFORMATION:

Location: BELLE-EGLISE, FRANCE
Building Air Exchanges Per Hour: 0.42 (unsheltered single storied)
Time: February 4, 2020 1235 hours ST (using computer's clock)

CHEMICAL INFORMATION:

Chemical Name: SULFUR DIOXIDE Molecular Weight: 64.06 g/mol
ERPG-3: 15 ppm ERPG-2: 3 ppm ERPG-1: 0.3 ppm
IDLH: 100 ppm
Carcinogenic risk - see CAMEO
Normal Boiling Point: -10.0° C Ambient Boiling Point: -10.2° C
Vapor Pressure at Ambient Temperature: greater than 1 atm
Ambient Saturation Concentration: 1,000,000 ppm or 100.0%

ATMOSPHERIC INFORMATION: (MANUAL INPUT OF DATA)

Wind: 2 meters/sec from SW at 3 meters
No Inversion Height
Stability Class: A (user override) Air Temperature: 20° C
Relative Humidity: 50% Ground Roughness: open country
Cloud Cover: 5 tenths

SOURCE STRENGTH INFORMATION:

Direct Source: 3.29 kilograms/sec Source Height: 272 meters
Release Duration: 60 minutes
Release Rate: 215 kilograms/min
Total Amount Released: 12,924 kilograms
Note: This chemical may flash boil and/or result in two phase flow.

FOOTPRINT INFORMATION: (GAUSS SELECTED)

Dispersion Module: Gaussian
Red LOC (1885 mg/(cu m)) Max Threat Zone: **LOC is not exceeded**
Note: Footprint was not drawn because the ground level concentrations never exceed the LOC.
Orange LOC (211 mg/(cu m)) Max Threat Zone: **LOC is not exceeded**
Note: Footprint was not drawn because the ground level concentrations never exceed the LOC

Incendie d'une cellule de stockage de pneumatiques

Dispersion du SO₂

Condition D, vent 5 m/s

SITE DATA INFORMATION:

Location: BELLE- EGLISE, FRANCE

Building Air Exchanges Per Hour: 0.42 (unsheltered single storied)

Time: February 4, 2020 1235 hours ST (using computer's clock)

CHEMICAL INFORMATION:

Chemical Name: SULFUR DIOXIDE Molecular Weight: 64.06 g/mol

ERPG-3: 15 ppm ERPG-2: 3 ppm ERPG-1: 0.3 ppm

IDLH: 100 ppm

Carcinogenic risk - see CAMEO

Normal Boiling Point: -10.0° C Ambient Boiling Point: -10.2° C

Vapor Pressure at Ambient Temperature: greater than 1 atm

Ambient Saturation Concentration: 1,000,000 ppm or 100.0%

ATMOSPHERIC INFORMATION: (MANUAL INPUT OF DATA)

Wind: 5 meters/sec from SW at 3 meters

No Inversion Height

Stability Class: D

Air Temperature: 20° C

Relative Humidity: 50%

Ground Roughness: open country

Cloud Cover: 5 tenths

SOURCE STRENGTH INFORMATION:

Direct Source: 3.29 kilograms/sec Source Height: 109 meters

Release Duration: 60 minutes

Release Rate: 215 kilograms/min

Total Amount Released: 12,924 kilograms

Note: This chemical may flash boil and/or result in two phase flow.

FOOTPRINT INFORMATION: (GAUSS SELECTED)

Dispersion Module: Gaussian

Red LOC (1885 mg/(cu m)) Max Threat Zone: **LOC is not exceeded**

Note: Footprint was not drawn because the ground level concentrations never exceed the LOC.

Orange LOC (211 mg/(cu m)) Max Threat Zone: **LOC is not exceeded**

Note: Footprint was not drawn because the ground level concentrations never exceed the LOC

Incendie d'une cellule de stockage de pneumatiques
Dispersion du SO₂
Condition F, vent 3 m/s

SITE DATA INFORMATION:

Location: BELLE-EGLISE, FRANCE
Building Air Exchanges Per Hour: 0.42 (unsheltered single storied)
Time: February 4, 2020 1237 hours ST (using computer's clock)

CHEMICAL INFORMATION:

Chemical Name: SULFUR DIOXIDE Molecular Weight: 64.06 g/mol
ERPG-3: 15 ppm ERPG-2: 3 ppm ERPG-1: 0.3 ppm
IDLH: 100 ppm
Carcinogenic risk - see CAMEO
Normal Boiling Point: -10.0° C Ambient Boiling Point: -10.2° C
Vapor Pressure at Ambient Temperature: greater than 1 atm
Ambient Saturation Concentration: 1,000,000 ppm or 100.0%

ATMOSPHERIC INFORMATION: (MANUAL INPUT OF DATA)

Wind: 3 meters/sec from SW at 3 meters
No Inversion Height
Stability Class: F (user override) **Air Temperature: 20° C**
Relative Humidity: 50% Ground Roughness: open country
Cloud Cover: 5 tenths

SOURCE STRENGTH INFORMATION:

Direct Source: 3.29 kilograms/sec **Source Height: 181 meters**
Release Duration: 60 minutes
Release Rate: 215 kilograms/min
Total Amount Released: 12,924 kilograms
Note: This chemical may flash boil and/or result in two phase flow.

FOOTPRINT INFORMATION: (GAUSS SELECTED)

Dispersion Module: Gaussian
Red LOC (1885 mg/(cu m)) Max Threat Zone: **LOC is not exceeded**
Note: Footprint was not drawn because the ground level concentrations never exceed the LOC.
Orange LOC (211 mg/(cu m)) Max Threat Zone: **LOC is not exceeded**
Note: Footprint was not drawn because the ground level concentrations never exceed the LOC.

Incendie d'une cellule de stockage de pneumatiques
Dispersion du NO₂
Condition A, vent 2 m/s

SITE DATA INFORMATION:

Location: BELLE-EGLISE, FRANCE
Building Air Exchanges Per Hour: 0.42 (unsheltered single storied)
Time: February 4, 2020 1239 hours ST (using computer's clock)

CHEMICAL INFORMATION:

Chemical Name: NITROGEN DIOXIDE Molecular Weight: 46.01 g/mol
TEEL-3: 30 ppm TEEL-2: 15 ppm TEEL-1: 2 ppm
IDLH: 20 ppm
Normal Boiling Point: 21.0° C Ambient Boiling Point: 20.9° C
Vapor Pressure at Ambient Temperature: 0.95 atm
Ambient Saturation Concentration: 958,041 ppm or 95.8%

ATMOSPHERIC INFORMATION: (MANUAL INPUT OF DATA)

Wind: 2 meters/sec from SW at 3 meters
No Inversion Height
Stability Class: A (user override) **Air Temperature: 20° C**
Relative Humidity: 50% Ground Roughness: open country
Cloud Cover: 5 tenths

SOURCE STRENGTH INFORMATION:

Direct Source: 0.93 kilograms/sec **Source Height: 272 meters**
Release Duration: 60 minutes
Release Rate: 61.2 kilograms/min
Total Amount Released: 3,672 kilograms

FOOTPRINT INFORMATION: (GAUSS SELECTED)

Dispersion Module: Gaussian
Red LOC (132 mg/(cu m)) Max Threat Zone: **LOC is not exceeded**
Note: Footprint was not drawn because the ground level concentrations never exceed the LOC.
Orange LOC (75 mg/(cu m)) Max Threat Zone: **LOC is not exceeded**
Note: Footprint was not drawn because the ground level concentrations never exceed the LOC

Incendie d'une cellule de stockage de pneumatiques
Dispersion du NO₂
Condition D, vent 5 m/s

SITE DATA INFORMATION:

Location: BELLE- EGLISE, FRANCE
Building Air Exchanges Per Hour: 0.42 (unsheltered single storied)
Time: February 4, 2020 1240 hours ST (using computer's clock)

CHEMICAL INFORMATION:

Chemical Name: NITROGEN DIOXIDE Molecular Weight: 46.01 g/mol
TEEL-3: 30 ppm TEEL-2: 15 ppm TEEL-1: 2 ppm
IDLH: 20 ppm
Normal Boiling Point: 21.0° C Ambient Boiling Point: 20.9° C
Vapor Pressure at Ambient Temperature: 0.95 atm
Ambient Saturation Concentration: 958,041 ppm or 95.8%

ATMOSPHERIC INFORMATION: (MANUAL INPUT OF DATA)

Wind: 5 meters/sec from SW at 3 meters
No Inversion Height
Stability Class: D **Air Temperature: 20° C**
Relative Humidity: 50% Ground Roughness: open country
Cloud Cover: 5 tenths

SOURCE STRENGTH INFORMATION:

Direct Source: 0.93 kilograms/sec **Source Height: 109 meters**
Release Duration: 60 minutes
Release Rate: 61.2 kilograms/min
Total Amount Released: 3,672 kilograms

FOOTPRINT INFORMATION: (GAUSS SELECTED)

Dispersion Module: Gaussian
Red LOC (132 mg/(cu m)) Max Threat Zone: **LOC is not exceeded**
Note: Footprint was not drawn because the ground level concentrations never exceed the LOC.
Orange LOC (75 mg/(cu m)) Max Threat Zone: **LOC is not exceeded**
Note: Footprint was not drawn because the ground level concentrations never exceed the LOC.

Incendie d'une cellule de stockage de pneumatiques
Dispersion du NO₂
Condition F, vent 3 m/s

SITE DATA INFORMATION:

Location: BELLE-EGLISE, FRANCE
Building Air Exchanges Per Hour: 0.42 (unsheltered single storied)
Time: February 4, 2020 1242 hours ST (using computer's clock)

CHEMICAL INFORMATION:

Chemical Name: NITROGEN DIOXIDE Molecular Weight: 46.01 g/mol
TEEL-3: 30 ppm TEEL-2: 15 ppm TEEL-1: 2 ppm
IDLH: 20 ppm
Normal Boiling Point: 21.0° C Ambient Boiling Point: 20.9° C
Vapor Pressure at Ambient Temperature: 0.95 atm
Ambient Saturation Concentration: 958,041 ppm or 95.8%

ATMOSPHERIC INFORMATION: (MANUAL INPUT OF DATA)

Wind: 3 meters/sec from SW at 3 meters
No Inversion Height
Stability Class: F (user override) **Air Temperature: 20° C**
Relative Humidity: 50% Ground Roughness: open country
Cloud Cover: 5 tenths

SOURCE STRENGTH INFORMATION:

Direct Source: 0.93kilograms/sec **Source Height: 181 meters**
Release Duration: 60 minutes
Release Rate: 61.2 kilograms/min
Total Amount Released: 3,672 kilograms

FOOTPRINT INFORMATION: (GAUSS SELECTED)

Dispersion Module: Gaussian
Red LOC (132 mg/(cu m)) Max Threat Zone: **LOC is not exceeded**
Note: Footprint was not drawn because the ground level concentrations never exceed the LOC.
Orange LOC (75 mg/(cu m)) Max Threat Zone: **LOC is not exceeded**
Note: Footprint was not drawn because the ground level concentrations never exceed the LOC

Incendie d'une cellule de stockage de pneumatiques
Dispersion du formol
Condition A, vent 2 m/s

SITE DATA INFORMATION:

Location: BELLE- EGLISE, FRANCE
Building Air Exchanges Per Hour: 0.42 (unsheltered single storied)
Time: February 4, 2020 1245 hours ST (using computer's clock)

CHEMICAL INFORMATION:

Chemical Name: FORMIC ACID Molecular Weight: 46.03 g/mol
TEEL-3: 30 ppm TEEL-2: 10 ppm TEEL-1: 10 ppm
IDLH: 30 ppmf
Normal Boiling Point: 100.6° C Ambient Boiling Point: 100.3° C
Vapor Pressure at Ambient Temperature: 0.044 atm
Ambient Saturation Concentration: 44,317 ppm or 4.43%

ATMOSPHERIC INFORMATION: (MANUAL INPUT OF DATA)

Wind: 2 meters/sec from SW at 3 meters
No Inversion Height
Stability Class: A (user override) **Air Temperature: 20° C**
Relative Humidity: 50% Ground Roughness: open country
Cloud Cover: 5 tenths

SOURCE STRENGTH INFORMATION:

Direct Source: 0.04 kilograms/sec **Source Height: 272 meters**
Release Duration: 60 minutes
Release Rate: 2.4 kilograms/min
Total Amount Released: 144.0 kilograms

FOOTPRINT INFORMATION: (GAUSS SELECTED)

Dispersion Module: Gaussian
Red LOC (31 mg/(cu m)) Max Threat Zone: **LOC is not exceeded**
Note: Footprint was not drawn because the ground level concentrations never exceed the LOC.
Orange LOC (12 mg/(cu m)) Max Threat Zone: **LOC is not exceeded**
Note: Footprint was not drawn because the ground level concentrations never exceed the LOC

Incendie d'une cellule de stockage de pneumatiques
Dispersion du formol
Condition D, vent 5 m/s

SITE DATA INFORMATION:

Location: BELLE-EGLISE, FRANCE
Building Air Exchanges Per Hour: 0.42 (unsheltered single storied)
Time: February 4, 2020 1146 hours ST (using computer's clock)

CHEMICAL INFORMATION:

Chemical Name: FORMIC ACID Molecular Weight: 46.03 g/mol
TEEL-3: 30 ppm TEEL-2: 10 ppm TEEL-1: 10 ppm
IDLH: 30 ppm
Normal Boiling Point: 100.6° C Ambient Boiling Point: 100.3° C
Vapor Pressure at Ambient Temperature: 0.044 atm
Ambient Saturation Concentration: 44,317 ppm or 4.43%

ATMOSPHERIC INFORMATION: (MANUAL INPUT OF DATA)

Wind: 5 meters/sec from SW at 3 meters
No Inversion Height
Stability Class: D **Air Temperature: 20° C**
Relative Humidity: 50% Ground Roughness: open country
Cloud Cover: 5 tenths

SOURCE STRENGTH INFORMATION:

Direct Source: 0.04 kilograms/sec **Source Height: 109 meters**
Release Duration: 60 minutes
Release Rate: 2.4 kilograms/min
Total Amount Released: 144.0 kilograms

FOOTPRINT INFORMATION: (GAUSS SELECTED)

Dispersion Module: Gaussian
Red LOC (31 mg/(cu m)) Max Threat Zone: **LOC is not exceeded**
Note: Footprint was not drawn because the ground level concentrations never exceed the LOC.
Orange LOC (12 mg/(cu m)) Max Threat Zone: **LOC is not exceeded**
Note: Footprint was not drawn because the ground level concentrations never exceed the LOC

Incendie d'une cellule de stockage de pneumatiques
Dispersion du formol
Condition F, vent 3 m/s

SITE DATA INFORMATION:

Location: BELLE-EGLISE, FRANCE
Building Air Exchanges Per Hour: 0.42 (unsheltered single storied)
Time: February 4, 2020 1247 hours ST (using computer's clock)

CHEMICAL INFORMATION:

Chemical Name: FORMIC ACID Molecular Weight: 46.03 g/mol
TEEL-3: 30 ppm TEEL-2: 10 ppm TEEL-1: 10 ppm
IDLH: 30 ppm
Normal Boiling Point: 100.6° C Ambient Boiling Point: 100.3° C
Vapor Pressure at Ambient Temperature: 0.044 atm
Ambient Saturation Concentration: 44,317 ppm or 4.43%

ATMOSPHERIC INFORMATION: (MANUAL INPUT OF DATA)

Wind: 3 meters/sec from SW at 3 meters
No Inversion Height
Stability Class: F (user override) Air Temperature: 20° C
Relative Humidity: 50% Ground Roughness: open country
Cloud Cover: 5 tenths

SOURCE STRENGTH INFORMATION:

Direct Source: 0.04 kilograms/sec Source Height: 181 meters
Release Duration: 60 minutes
Release Rate: 2.4 kilograms/min
Total Amount Released: 144.0 kilograms

FOOTPRINT INFORMATION: (GAUSS SELECTED)

Dispersion Module: Gaussian
Red LOC (31 mg/(cu m)) Max Threat Zone: **LOC is not exceeded**
Note: Footprint was not drawn because the ground level concentrations never exceed the LOC.
Orange LOC (12 mg/(cu m)) Max Threat Zone: **LOC is not exceeded**
Note: Footprint was not drawn because the ground level concentrations never exceed the LOC

Incendie d'une cellule de stockage de pneumatiques
Dispersion des fumées d'incendie_ Seuils équivalents
Condition A, vent 2 m/s

SITE DATA INFORMATION:

Location: BELLE-EGLISE, FRANCE
Building Air Exchanges Per Hour: 0.42 (unsheltered single storied)
Time: February 4, 2020 1249 hours ST (using computer's clock)

ATMOSPHERIC INFORMATION: (MANUAL INPUT OF DATA)

Wind: 2 meters/sec from SW at 3 meters
No Inversion Height
Stability Class: A (user override) Air Temperature: 20° C
Relative Humidity: 50% Ground Roughness: open country
Cloud Cover: 5 tenths

SOURCE STRENGTH INFORMATION:

Direct Source: 749 kilograms/sec Source Height: 272 meters
Release Duration: 60 minutes
Release Rate: 49,000 kilograms/min
Total Amount Released: 2,941,272 kilograms

FOOTPRINT INFORMATION: (GAUSS SELECTED)

Dispersion Module: Gaussian
Red LOC (31018 mg/(cu m)) Max Threat Zone: **LOC is not exceeded**
Note: Footprint was not drawn because the ground level concentrations never exceed the LOC.
Orange LOC (11346 mg/(cu m)) Max Threat Zone: **LOC is not exceeded**
Note: Footprint was not drawn because the ground level concentrations never exceed the LOC

Incendie d'une cellule de stockage de pneumatiques
Dispersion des fumées d'incendie_ Seuls équivalents
Condition D, vent 5 m/s

SITE DATA INFORMATION:

Location: BELLE-EGLISE, FRANCE
Building Air Exchanges Per Hour: 0.42 (unsheltered single storied)
Time: February 4, 2020 1250 hours ST (using computer's clock)

ATMOSPHERIC INFORMATION: (MANUAL INPUT OF DATA)

Wind: 5 meters/sec from SW at 3 meters
No Inversion Height
Stability Class: D **Air Temperature: 20° C**
Relative Humidity: 50% Ground Roughness: open country
Cloud Cover: 5 tenths

SOURCE STRENGTH INFORMATION:

Direct Source: 749 kilograms/sec **Source Height: 109 meters**
Release Duration: 60 minutes
Release Rate: 49,000 kilograms/min
Total Amount Released: 2,941,272 kilograms

FOOTPRINT INFORMATION: (GAUSS SELECTED)

Dispersion Module: Gaussian
Red LOC (31018 mg/(cu m)) Max Threat Zone: **LOC is not exceeded**
Note: Footprint was not drawn because the ground level concentrations never exceed the LOC.
Orange LOC (11346 mg/(cu m)) Max Threat Zone: **LOC is not exceeded**
Note: Footprint was not drawn because the ground level concentrations never exceed the LOC

Incendie d'une cellule de stockage de pneumatiques
Dispersion des fumées d'incendie_ Seuils équivalents
Condition F, vent 3 m/s

SITE DATA INFORMATION:

Location: BELLE- EGLISE, FRANCE
Building Air Exchanges Per Hour: 0.42 (unsheltered single storied)
Time: February 4, 2020 1251 hours ST (using computer's clock)

ATMOSPHERIC INFORMATION: (MANUAL INPUT OF DATA)

Wind: 3 meters/sec from SW at 3 meters
No Inversion Height
Stability Class: F (user override) Air Temperature: 20° C
Relative Humidity: 50% Ground Roughness: open country
Cloud Cover: 5 tenths

SOURCE STRENGTH INFORMATION:

Direct Source: 749 kilograms/sec Source Height: 181 meters
Release Duration: 60 minutes
Release Rate: 49,000 kilograms/min
Total Amount Released: 2,941,272 kilograms

FOOTPRINT INFORMATION: (GAUSS SELECTED)

Dispersion Module: Gaussian
Red LOC (31018 mg/(cu m)) Max Threat Zone: **LOC is not exceeded**
Note: Footprint was not drawn because the ground level concentrations never exceed the LOC.
Orange LOC (11346 mg/(cu m)) Max Threat Zone: **LOC is not exceeded**
Note: Footprint was not drawn because the ground level concentrations never exceed the LOC